

Certificates

<Be sure that you have done the backup of the all WAS profiles>

<Certificates will be reused by the current ICN certificate>

Set up certificate and keystore

<User: **use correct owner for the given environment**>

<Putty DEV : >

<Putty DEVINT : cms13.unix.csob.cz >

<Putty ACC : flnetacc03.unix.csob.cz / flnetacc04.unix.csob.cz >

<Putty PROD : flnetpro03.unix.csob.cz / flnetpro04.unix.csob.cz >

<System variables>

export

PATH=/wasown/IBM85/WebSphere/AppServer/java_1.7_64/jre/bin/:/wasown/IBM85/HTTPServer/bin/:\$PATH

<Copy current ICN IHS keystore>

<Server DEV : >

<Server DEVINT: cms13.unix.csob.cz >

<Server ACC : flnetacc03.unix.csob.cz >

<Server PROD : flnetpro03.unix.csob.cz >

```
# mkdir -p /wasown/IBM85/HTTPServer/conf/webserver-icnpencoapp01/keys
```

```
# cd /wasown/IBM85/HTTPServer/conf/webserver-icnpencoapp01/keys
```

```
# cp /wasown/IBM85/HTTPServer/conf/webserver-icnapp01/keys/keyfile.kdb ./
```

```
# cp /wasown/IBM85/HTTPServer/conf/webserver-icnapp01/keys/keyfile.rdb ./
```

```
# cp /wasown/IBM85/HTTPServer/conf/webserver-icnapp01/keys/keyfile.sth ./
```

<Check and sample output>

```
# ikeycmd -cert -list -db ./keyfile.kdb
```

Certificates in database /wasown/IBM85/HTTPServer/conf/webserver- icnpencoapp01/keys/./keyfile.kdb:

```
fn_icnapp_int_srv
```

```
"C=CZ, O=CSOB, CN=CSOBMD ROOT CA"
```

```
"CN=CSOBMD ISSUING CA, DC=csobmd, DC=int"
```

<Server DEV : >

<Server DEVINT: cms13.unix.csob.cz >

<Server ACC : flnetacc04.unix.csob.cz >

<Server PROD : flnetpro04.unix.csob.cz >

```
# mkdir -p /wasown/IBM85/HTTPServer/conf/webserver-icnpencoapp02/keys
```

```
# cd /wasown/IBM85/HTTPServer/conf/webserver-icnpencoapp02/keys
```

```
# cp /wasown/IBM85/HTTPServer/conf/webserver-icnapp02/keys/keyfile.kdb ./
```

```
# cp /wasown/IBM85/HTTPServer/conf/webserver-icnapp02/keys/keyfile.rdb ./
```

```
# cp /wasown/IBM85/HTTPServer/conf/webserver-icnapp02/keys/keyfile.sth ./
```

<Check and sample output form DEVINT>

```
# ikeycmd -cert -list -db ./keyfile.kdb
```

Certificates in database /wasown/IBM85/HTTPServer/conf/webserver- icnpencoapp02/keys/./keyfile.kdb:

```
fn_icnapp_int_srv
```

```
"C=CZ, O=CSOB, CN=CSOBMD ROOT CA"
```

```
"CN=CSOBMD ISSUING CA, DC=csobmd, DC=int"
```