

Part VIII.
(Bonus)
LR Parsing

LR-Parser

- Let $G = (N, T, P, S)$ be a CFG,
where $N = \{A_1, A_2, \dots, A_n\}$, $T = \{a_1, a_2, \dots, a_m\}$
- LR-parser is a EPDA, M , with states
 $Q = \{q_0, q_1, \dots, q_k\}$, where q_0 is the start state.
- M is based on LR table that has these two parts
 - 1) **Action part**
 - 2) **Go-to part**

Action Part & Go-to Part

Action Part:

α	a_1	...	a_j	...	a_m	\$
q_0						
...						
q_i						
...						
q_k						

$\alpha[q_i, a_j] = 1$ or 2 or 3 or 4

- 1) sq : $s = \text{shift}$, $q \in Q$
- 2) rp : $r = \text{reduce}$, $p \in P$
- 3) 😊 : success
- 4) **blank**: error

Go-to Part:

β	A_1	...	A_j	...	A_n
q_0					
...					
q_i					
...					
q_k					

$\beta[q_i, A_j] = 1$ or 2

- 1) q : $q \in Q$
- 2) **blank**

LR-Parser: Algorithm

- **Input:** LR-table for $G = (N, T, P, S)$; $x \in T^*$
 - **Output:** Right parse of x if $x \in L(G)$; otherwise, **error**
-
- **Method:**
 - push($\langle \$, q_0 \rangle$) onto pushdown; $state := q_0$;
 - **repeat**
 - let a = the current token
 - case** $\alpha[state, a]$ **of:**
 - **sq:** push($\langle a, q \rangle$) & read next a from input string & $state := q$;
 - **rp:** replace the pushdown top $\langle ?, q \rangle \langle X_1, ? \rangle \langle X_2, ? \rangle \dots \langle X_n, ? \rangle$ with $\langle A, state \rangle$ where $p: A \rightarrow X_1 X_2 \dots X_n \in P$ and $state := \beta[q, A]$ & write p to output;
 - 😊: **success**
 - **blank: error**
- until **success or error**



LR-Parser: Example 1/2

$K = (N, T, P, S)$, where $N = \{S, A\}$, $T = \{i, o, (,)\}$,
 $P = \{1: S \rightarrow SoA, 2: S \rightarrow A, 3: A \rightarrow i, 4: A \rightarrow (S)\}$

LR-table for K :

α	i	o	$($	$)$	$\$$
0	s3		s4		
1		s6			☺
2		r2		r2	r2
3		r3		r3	r3
4	s3		s4		
5		s6		s8	
6	s3		s4		
7		r1		r1	r1
8		r4		r4	r4

Action part
for K

Go-to part
for K

β	S	A
0	1	2
1		
2		
3		
4	5	2
5		
6		7
7		
8		

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$ $\beta[0, A] = 2$	3: $A \rightarrow i$

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$
			$\beta[0, S] = 1$	

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\beta[0, A] = 2$ $\alpha[2, o] = r2$	2: $S \rightarrow A$
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\beta[0, S] = 1$ $\alpha[1, o] = s6$	

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$
			$\beta[0, S] = 1$	
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\alpha[1, o] = s6$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle$	6	$i\$$	$\alpha[6, i] = s3$	

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$
			$\beta[0, S] = 1$	
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\alpha[1, o] = s6$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle$	6	$i\$$	$\alpha[6, i] = s3$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle i, 3 \rangle$	3	$\$$	$\alpha[3, \$] = r3$	3: $A \rightarrow i$

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$
			$\beta[0, S] = 1$	
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\alpha[1, o] = s6$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle$	6	$i\$$	$\alpha[6, i] = s3$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle i, 3 \rangle$	3	$\$$	$\alpha[3, \$] = r3$	3: $A \rightarrow i$
			$\beta[6, A] = 7$	

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$
			$\beta[0, S] = 1$	
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\alpha[1, o] = s6$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle$	6	$i\$$	$\alpha[6, i] = s3$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle i, 3 \rangle$	3	$\$$	$\alpha[3, \$] = r3$	3: $A \rightarrow i$
			$\beta[6, A] = 7$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle A, 7 \rangle$	7	$\$$	$\alpha[7, \$] = r1$	1: $S \rightarrow SoA$

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$
			$\beta[0, S] = 1$	
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\alpha[1, o] = s6$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle$	6	$i\$$	$\alpha[6, i] = s3$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle i, 3 \rangle$	3	$\$$	$\alpha[3, \$] = r3$	3: $A \rightarrow i$
			$\beta[6, A] = 7$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle A, 7 \rangle$	7	$\$$	$\alpha[7, \$] = r1$	1: $S \rightarrow SoA$
			$\beta[0, S] = 1$	

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$	3: $A \rightarrow i$
			$\beta[0, A] = 2$	
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$	2: $S \rightarrow A$
			$\beta[0, S] = 1$	
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\alpha[1, o] = s6$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle$	6	$i\$$	$\alpha[6, i] = s3$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle i, 3 \rangle$	3	$\$$	$\alpha[3, \$] = r3$	3: $A \rightarrow i$
			$\beta[6, A] = 7$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle A, 7 \rangle$	7	$\$$	$\alpha[7, \$] = r1$	1: $S \rightarrow SoA$
			$\beta[0, S] = 1$	
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$\$$	$\alpha[1, \$] = \text{☺}$	

LR-Parser: Example 2/2

Rules: 1: $S \rightarrow SoA$, 2: $S \rightarrow A$, 3: $A \rightarrow i$, 4: $A \rightarrow (S)$

Input string: $ioi\$$

Pushdown	St.	Input	Enter	Rule
$\langle \$, 0 \rangle$	0	$ioi\$$	$\alpha[0, i] = s3$	
$\langle \$, 0 \rangle \langle i, 3 \rangle$	3	$oi\$$	$\alpha[3, o] = r3$ $\beta[0, A] = 2$	3: $A \rightarrow i$
$\langle \$, 0 \rangle \langle A, 2 \rangle$	2	$oi\$$	$\alpha[2, o] = r2$ $\beta[0, S] = 1$	2: $S \rightarrow A$
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$oi\$$	$\alpha[1, o] = s6$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle$	6	$i\$$	$\alpha[6, i] = s3$	
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle i, 3 \rangle$	3	$\$$	$\alpha[3, \$] = r3$ $\beta[6, A] = 7$	3: $A \rightarrow i$
$\langle \$, 0 \rangle \langle S, 1 \rangle \langle o, 6 \rangle \langle A, 7 \rangle$	7	$\$$	$\alpha[7, \$] = r1$ $\beta[0, S] = 1$	1: $S \rightarrow SoA$
$\langle \$, 0 \rangle \langle S, 1 \rangle$	1	$\$$	$\alpha[1, \$] = \text{☺}$	

Success
Right parse: 3231

Construction of LR Table: Introduction

- **One parsing algorithm but many algorithms for the construction of LR table.**
-

Basic algorithms for the construction of LR table:

- 1) **Simple LR (SLR)**: the least powerful, but simple and few states
 - 2) **Canonical LR**: more powerful, but many states
 - 3) **Lookahead LR (LALR)**: the best because the most powerful and the same number of states as SLR
-

Extended Grammar with a “Dummy Rule”

Gist: Grammar with special “starting rule”

Definition: Let $G = (N, T, P, S)$ be a CFG, $S' \notin N$.
Extended grammar for G is grammar
 $G' = (N \cup \{S'\}, T, P \cup \{S' \rightarrow S\}, S')$.

Why a dummy rule? When $S' \rightarrow S$ is used and the input token is endmarker, then **syntax analysis is successfully completed**.

Example:

$K = (N, T, P, S)$, where $N = \{S, A\}$, $T = \{i, o, (,)\}$,
 $P = \{1: S \rightarrow SoA, 2: S \rightarrow A, 3: A \rightarrow i, 4: A \rightarrow (S)\}$

Extended grammar for K :

$H = (N, T, P, S')$, where $N = \{S', S, A\}$, $T = \{i, o, (,)\}$,
 $P = \{0: S' \rightarrow S, 1: S \rightarrow SoA, 2: S \rightarrow A, 3: A \rightarrow i, 4: A \rightarrow (S)\}$

Construction of LR Table: Items

Gist: Item is a rule of CFG with \bullet in the right-hand side of rule.

Definition: Let $G = (N, T, P, S)$ be a CFG, $A \rightarrow x \in P$, $x = yz$. Then, $A \rightarrow y\bullet z$ is an *item*.

Example: Consider $S \rightarrow SoA$

All items for $S \rightarrow SoA$ are:

$S \rightarrow \bullet SoA$, $S \rightarrow S\bullet oA$, $S \rightarrow So\bullet A$, $S \rightarrow SoA\bullet$

Meaning: $A \rightarrow y\bullet z$ means that if y appears on the pushdown top and a prefix of the input is eventually reduced to z , then yz ($= x$) as a handle can be reduced to A according to $A \rightarrow x$.

Closure of Item: Algorithm

Note: $\text{Closure}(I)$ is the set of items defined by the following algorithm:

- **Input:** $G = (N, T, P, S)$; item I
 - **Output:** $\text{Closure}(I)$
-

- **Method:**

- $\text{Closure}(I) := \{I\};$

- **Apply the following rule until $\text{Closure}(I)$ cannot be changed:**

- if $A \rightarrow y \bullet B z \in \text{Closure}(I)$ and $B \rightarrow x \in P$
then add $B \rightarrow \bullet x$ to $\text{Closure}(I)$

Closure of Item: Example 1/2

$H = (N, T, P, S')$, where $N = \{S', S, A\}$, $T = \{i, o, (,)\}$,
 $P = \{0: S' \rightarrow S, 1: S \rightarrow SoA, 2: S \rightarrow A, 3: A \rightarrow i, 4: A \rightarrow (S)\}$

Task: $Closure(I)$ for $I = S' \rightarrow \bullet S$

$Closure(I) := \{S' \rightarrow \bullet S\}$

1) $S' \rightarrow \bullet S \in Closure(I)$ & $S \rightarrow SoA \in P$:
 add $S \rightarrow \bullet SoA$ to $Closure(I)$

$Closure(I) = \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA\}$

2) $S' \rightarrow \bullet S \in Closure(I)$ & $S \rightarrow A \in P$:
 add $S \rightarrow \bullet A$ to $Closure(I)$

$Closure(I) = \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA, S \rightarrow \bullet A\}$

Closure of Item: Example 2/2

$H = (N, T, P, S')$, where $N = \{S', S, A\}$, $T = \{i, o, (,)\}$,
 $P = \{0: S' \rightarrow S, 1: S \rightarrow SoA, 2: S \rightarrow A, 3: A \rightarrow i, 4: A \rightarrow (S)\}$

3) $S \rightarrow \bullet A \in \text{Closure}(I)$ & $A \rightarrow i \in P$:
 add $A \rightarrow \bullet i$ to $\text{Closure}(I)$

$\text{Closure}(I) = \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i\}$

4) $S \rightarrow \bullet A \in \text{Closure}(I)$ & $A \rightarrow (S) \in P$:
 add $A \rightarrow \bullet (S)$ to $\text{Closure}(I)$

Summary:

$\text{Closure}(I) = \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\}$

Set $\Theta_U(I)$ for grammar G

Gist: For a symbol U and set of items I , $\Theta_U(I)$ denotes union of all closures of the form $Closure(A \rightarrow yU\bullet z)$, where $A \rightarrow y\bullet Uz$ is in I .

Definition: Let $G = (N, T, P, S)$ be a CFG, I be a set of items, and $U \in T \cup N$. Then,

$$\Theta_U(I) = \{j: j \in Closure(A \rightarrow yU\bullet z), A \rightarrow y\bullet Uz \in I\}$$

Set $\Theta_U(I)$ for grammar G

Gist: For a symbol U and set of items I , $\Theta_U(I)$ denotes union of all closures of the form $Closure(A \rightarrow yU\bullet z)$, where $A \rightarrow y\bullet Uz$ is in I .

Definition: Let $G = (N, T, P, S)$ be a CFG, I be a set of items, and $U \in T \cup N$. Then,

$$\Theta_U(I) = \{j: j \in Closure(A \rightarrow yU\bullet z), A \rightarrow y\bullet Uz \in I\}$$

Set $\Theta_U(I)$ for grammar G

Gist: For a symbol U and set of items I , $\Theta_U(I)$ denotes union of all closures of the form $Closure(A \rightarrow yU\bullet z)$, where $A \rightarrow y\bullet Uz$ is in I .

Definition: Let $G = (N, T, P, S)$ be a CFG, I be a set of items, and $U \in T \cup N$. Then,

$$\Theta_U(I) = \{j: j \in Closure(A \rightarrow yU\bullet z), A \rightarrow y\bullet Uz \in I\}$$

Example:

$H = (N, T, P, S')$, where $N = \{S', S, A\}$, $T = \{i, o, (,)\}$,
 $P = \{0: S' \rightarrow S, 1: S \rightarrow SoA, 2: S \rightarrow A, 3: A \rightarrow i, 4: A \rightarrow (S)\}$,
 $I = \{S \rightarrow So\bullet A, S \rightarrow \bullet A, A \rightarrow \bullet(S)\}$

Task: $\Theta_A(I)$

$$Closure(S \rightarrow SoA\bullet) \cup Closure(S \rightarrow A\bullet) = \{S \rightarrow SoA\bullet, S \rightarrow A\bullet\}$$

Task: $\Theta_{(}(I)$

$$Closure(A \rightarrow (\bullet S)) = \{A \rightarrow (\bullet S), S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet(S)\}$$

Set Θ_G for Grammar G

Note: Set Θ_G for grammar G is the set of sets of items defined by the following algorithm:


- **Input:** Extended $G = (N, T, P, S')$
 - **Output:** Θ_G for grammar G
-

- **Method:**

- $\Theta_G := \{ \text{Closure}(S' \rightarrow \bullet S) \};$
- for each $I \in \Theta_G$ and $U \in N \cup T$
 if $\Theta_U(I) \neq \emptyset$ then include set $\Theta_U(I)$ into Θ_G


Set Θ_G : Example

$H = (N, T, P, S')$, where $N = \{S', S, A\}$, $T = \{i, o, (,)\}$,
 $P = \{0: S' \rightarrow S, 1: S \rightarrow SoA, 2: S \rightarrow A, 3: A \rightarrow i, 4: A \rightarrow (S)\}$



Naming of members in set Θ_G

Name the elements of Θ_G as I_0 to I_n , where $n+1$ is number of elements in Θ_G . The member with $S' \rightarrow \bullet S$ is I_0 .



Construction of LR-table: SLR Algorithm

- **Input:** Extended $G = (N, T, P, S')$; Θ_G ;
 $Follow(A)$ for all $A \in N$
- **Output:** LR-table for G (α = Action part, β = Go-to part)

• Method:

- $StatesOfTable := \Theta_G$; $StartState := Closure(S' \rightarrow \bullet S)$;
- for each $x \in \Theta_G$ do
- for each $I \in x$ do
 - case I of
 - $I = A \rightarrow y \bullet Xz$, where $X \in N$:
 $\beta[x, X] := \Theta_X(x)$
 - $I = A \rightarrow y \bullet Xz$, where $X \in T$:
 $\alpha[x, X] := s \Theta_X(x)$
 - $I = S' \rightarrow S \bullet$: $\alpha[x, \$] := \text{☺}$
 - $I = A \rightarrow y \bullet$ ($A \neq S'$):
for each $a \in Follow(A)$ do $\alpha[x, a] := rp$,
 where p is a label of rule $A \rightarrow y$

Construction of LR-table: Example 1/5

$$\Theta_H = \{I_0: \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_1: \{S' \rightarrow S\bullet, S \rightarrow S\bullet oA\}, I_2: \{S \rightarrow A\bullet\}, I_3: \{A \rightarrow i\bullet\},$$

$$I_4: \{A \rightarrow (\bullet S), S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_5: \{A \rightarrow (S\bullet), S \rightarrow S\bullet oA\}, I_6: \{S \rightarrow So\bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_7: \{S \rightarrow SoA\bullet\}, I_8: \{A \rightarrow (S)\bullet\}$$

Task: LR-table for K

	α					β	
	i	o	$($	$)$	$\$$	S	A
I_0	sI_3		sI_4			I_1	I_2

$S' \rightarrow \bullet S \in I_0, S \in N: \beta[I_0, S] := \Theta_S(I_0) = I_1$
 $S \rightarrow \bullet SoA \in I_0, S \in N: \beta[I_0, S] := \Theta_S(I_0) = I_1$
 $S \rightarrow \bullet A \in I_0, A \in N: \beta[I_0, A] := \Theta_A(I_0) = I_2$
 $A \rightarrow \bullet i \in I_0, i \in T: \alpha[I_0, i] := s\Theta_i(I_0) = sI_3$
 $A \rightarrow \bullet (S) \in I_0, (\in T: \alpha[I_0, (] := s\Theta_(I_0) = sI_4$

Construction of LR-table: Example 2/5

$$\Theta_H = \{I_0: \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_1: \{S' \rightarrow S\bullet, S \rightarrow S\bullet oA\}, I_2: \{S \rightarrow A\bullet\}, I_3: \{A \rightarrow i\bullet\},$$

$$I_4: \{A \rightarrow (\bullet S), S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_5: \{A \rightarrow (S\bullet), S \rightarrow S\bullet oA\}, I_6: \{S \rightarrow So\bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_7: \{S \rightarrow SoA\bullet\}, I_8: \{A \rightarrow (S)\bullet\}$$

Task: LR-table for K

	α					β	
	i	o	$($	$)$	$\$$	S	A
I_0	sI_3		sI_4			I_1	I_2
I_1		sI_6			☺		

$$S' \rightarrow S\bullet \in I_1: \alpha[I_1, \$] := \text{☺}$$

$$S \rightarrow S\bullet oA \in I_1, o \in T: \alpha[I_1, o] := s\Theta_o(I_1) = sI_6$$

Construction of LR-table: Example 3/5

$$\Theta_H = \{I_0: \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_1: \{S' \rightarrow S\bullet, S \rightarrow S\bullet oA\}, I_2: \{S \rightarrow A\bullet\}, I_3: \{A \rightarrow i\bullet\},$$

$$I_4: \{A \rightarrow (\bullet S), S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_5: \{A \rightarrow (S\bullet), S \rightarrow S\bullet oA\}, I_6: \{S \rightarrow So\bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_7: \{S \rightarrow SoA\bullet\}, I_8: \{A \rightarrow (S)\bullet\}$$

Task: LR-table for K

	α					β	
	i	o	$($	$)$	$\$$	S	A
I_0	sI_3		sI_4			I_1	I_2
I_1		sI_6			☺		
I_2		$r2$		$r2$	$r2$		

$S \rightarrow A\bullet \in I_2, Follow(S) = \{o,), \$\}$:
 $\alpha[I_2, o] = \alpha[I_2,)] = \alpha[I_2, \$] := r2$

Construction of LR-table: Example 4/5

$$\Theta_H = \{I_0: \{S' \rightarrow \bullet S, S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_1: \{S' \rightarrow S\bullet, S \rightarrow S\bullet oA\}, I_2: \{S \rightarrow A\bullet\}, I_3: \{A \rightarrow i\bullet\},$$

$$I_4: \{A \rightarrow (\bullet S), S \rightarrow \bullet SoA, S \rightarrow \bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_5: \{A \rightarrow (S\bullet), S \rightarrow S\bullet oA\}, I_6: \{S \rightarrow So\bullet A, A \rightarrow \bullet i, A \rightarrow \bullet (S)\},$$

$$I_7: \{S \rightarrow SoA\bullet\}, I_8: \{A \rightarrow (S)\bullet\}$$

Task: LR-table for K

	α					β	
	i	o	$($	$)$	$\$$	S	A
I_0	sI_3		sI_4			I_1	I_2
I_1		sI_6			☺		
I_2		$r2$		$r2$	$r2$		
I_3		$r3$		$r3$	$r3$		

Construct the rest analogically.

$A \rightarrow i\bullet \in I_3, \text{Follow}(A) = \{o,), \$\}:$
 $\alpha[I_3, o] = \alpha[I_3,)] = \alpha[I_3, \$] := r3$

Construction of LR-table: Example 5/5

Final LR-table for K

	α					β	
	i	o	$($	$)$	$\$$	S	A
I_0	sI_3		sI_4			I_1	I_2
I_1		sI_6			☺		
I_2		$r2$		$r2$	$r2$		
I_3		$r3$		$r3$	$r3$		
I_4	sI_3		sI_4			I_5	I_2
I_5		sI_6		sI_8			
I_6	sI_3		sI_4				I_7
I_7		$r1$		$r1$	$r1$		
I_8		$r4$		$r4$	$r4$		

Renaming the states

**Rename
the states:**

Old	New
I_0	0
I_1	1
I_2	2
I_3	3
I_4	4
I_5	5
I_6	6
I_7	7
I_8	8

LR-table for K with the renamed states:

α	i	o	()	\$
0	s3		s4		
1		s6			☺
2		r2		r2	r2
3		r3		r3	r3
4	s3		s4		
5		s6		s8	
6	s3		s4		
7		r1		r1	r1
8		r4		r4	r4

β	S	A
0	1	2
1		
2		
3		
4	5	2
5		
6		7
7		
8		